

Whitepaper

Which connectivity is the smart choice for POS and vending?








Contents

Introduction	3
Get to the point (of sale)	4
Global POS CAGR Forecast, 2020-2025E	5
No longer an mP0S-sible dream	6
Cashless is the sweet spot in the vend diagram	7
How Al is impacting the POS market	8
Connectivity adds detail to retail	8
How Quectel helps: Modules	9-10
How Quectel helps: Antennas	11
How Quectel helps: Connectivity	12
Conclusion	13





Introduction

Wireless connected payment devices have already been widely embraced across the globe with consumers preferring the convenience of card or mobile phone-enabled payments over handling cash. Since the pandemic, this has become even more apparent and cashless is not only the favored payment method but now the default for most users. In 2020, global consumer preference to pay with cash fell to 15%. The move away from cash and increased trust in near-field communication (NFC) for payments, has seen connected terminals for in-store remote payments become part of everyone's daily lives and the global point of sale (POS) terminal market is growing even more rapidly because of this.


46

The market for cellular P0S terminals is set to grow four-fold from U\$\$20bn in 2020 to U\$\$80bn in 2026 While wired or Wi-Fi enabled connections for point of sale payment devices are widely adopted, they add a layer of complexity for organisations because they require installation, setting up and connectivity contracts for each fixed location are required. This hampers businesses that need to move locations such as vending machines and causes delays in deployment at sites that are not already served by wired or Wi-Fi connections. It's far simpler and more flexible to turn to cellular connectivity and the popularity of this approach is growing rapidly.

Connectivity for P0S and vending equipment is an already valuable market that still has large opportunities for growth. The market for cellular P0S terminals is set to grow four-fold from US\$20bn in 2020 to US\$80bn in 2026¹ while the market for smart vending machines, which also rely on cellular connections, is forecast to grow from US\$11bn in 2017 to US\$30bn by 2024². This expansion is underpinned by consumer habits but also by a new wave of fully-featured yet cost-effective payment terminals which utilise cellular connections to make the technology available to all types of users.

This extends from a one-person business which can simply buy a connected payment terminal for a one-time fixed fee to operators of fleets of vending machines who embed cellular-enabled payment technology into their stores. This connectivity can be used not only for secure payments but to manage stock, monitor vending machine performance and enable predictive maintenance. There are high and low- end scenarios at play across multiple types of retailers and vending scenarios and cellular connections, dominated by LTE Cat M, are demonstrating their value in terms of flexibility, ease of deployment, global availability, security and cost efficiency.





 $^{1\} https://www.globenewswire.com/news-release/2020/03/15/2000694/0/en/Mobile-Point-of-Sale-Terminals-Market-revenue-to-cross-USD-80-Bn-by-2026-Global-Market-Insights-Inc.html$

 $^{2\} https://iotbusinessnews.com/2019/01/24/90887-intelligent-vending-machine-market-to-see-15-growth-to-hit-us 30-billion-by-2024/$



Get to the point (of sale)

Mobile point-of-sale (mP0S) is a flexible, low-cost method of expanding card acceptance in face-to-face environments by using hardware encryption technology to facilitate the use of untrusted devices across untrusted networks. In essence, mP0S describes the use of consumer-oriented mobile devices such as tablets and smartphones that function as a point-of-sale terminal to facilitate payment card transactions through a connection to a card-accepting reader. The transformative element is that this can be done by utilizing low-cost devices and therefore can make digital payments possible for some retailers and businesses for the first time.


Many transactions involving small or micro – merchants are made away from physical retail stores and are completed using cash rather than credit or debit cards. This is an enormous opportunity for traditional bank acquirers and payment service providers (PSPs) to address with card-based acceptance solutions.

While the prize is substantial, there are two key challenges involved in addressing this market which are in conflict with each other. The merchants demand that payment services are provided at low cost because high payment charges are unsustainable, while the payment enablement systems demand high security in order to prevent fraud on their systems. For many years traditional point-of-sale (POS) terminals have been rejected by micro-merchants because of their high cost, long term contractual commitments, restrictive user interfaces and the Payment Card Industry Data Security Standard (PCI DSS) compliance requirements. Even so, the move by the payments industry to adopt mPOS technology to either replace or complement traditional POS terminals is underway and opening up this substantial opportunity.





Global POS CAGR Forecast, 2020-2025E





Global POS shipments to reach 270 million units by 2025. Rising consumer awareness on cashless transactions and favorable government policies to help in growing POS shipments.



India will be the fastest (+38%) growing POS market during the forecast period driven by digital transformation in retail market transactions.



4G Cat 1 is replacing traditional 2G/3G POS terminals in most cases. The decreasing ASP of 4G Cat 1 chipset and modules is helping POS vendors choose 4G Cat 1 technology



Retail is going to lead in POS applications. However, this segment witnessed decrease in POS shipments in 2020 due to COVID-19.



Chinese players dominate the global P0S market, with 8 out of the top 10 companies being Chinese. Local manufacturing may have an adverse impact on Chinese players.






No longer an mP0S-sible dream

Research firm Berg Insight has reported that the mP0S terminal market is growing at about the same rate as the traditional P0S terminal segment and there are now more than 70 vendors active in the global market today. The combination of increased acceptance of non-cash payments and growing adoption of NFC payments has transformed the P0S payments landscape. The firm reports that the attach rate for NFC in the mP0S segment reached 69% in 2020 as NFC-ready mP0S terminal shipments reached 26.9 million units. It further predicts forecasts that global shipments of NFC-ready mP0S terminals will grow at a compound annual growth rate (CAGR) of 11.7% in the next five years to reach 46.7 million units by 2025³. The growth is driven by the increase in mP0S terminal shipments from 39.2 million units in 2020 to 50.3 million units in 2025, Berg Insight says.

Derivative POS Terminals contribute to POS industry 2nd growth curve



 $3\ https://www.berginsight.com/shipments-of-nfc-ready-pos-terminals-reached-672-million-in-2020$





Cashless is the sweet spot in the vend diagram

Dumb vending machines that failed to properly release your favorite chocolate bar are a thing of the past and are increasingly offering more complex products but also gathering data on user choices and becoming more intelligent as they tailor offerings to the needs of demographics in the locations they are sites. Smart or intelligent vending machines utilize the connectivity enabled for payment to also manage the machine's business functions and this is helping to encourage significant growth in the adoption of smart vending machines.

66

the market for intelligent vending machines is set to grow by US\$9.33bn during the period 2020-2024 at a compound annual growth rate of 22%

Research firm Technavio reports that the market for intelligent vending machines is set to grow by US\$9.33bn during the period 2020-2024 at a compound annual growth rate of 22%4. Much of the growth (38%) for these advanced machines is expected to come from the North American market and the firm also foresees the beverage segment offering the maximum opportunity during the forecast period.

The increasing demand for cashless vending machines, partly due to the pandemic, is one of the main factors driving growth. The increase in smartphone adoption and payment using internet-enabled devices, debit cards and credit cards has fueled the growth of cashless payments worldwide. Alongside this, advances in artificial intelligence and automation are enabling cost-effective intelligent vending to be rolled out for a variety of use cases and market sectors.

The Al-enabled smart, autonomous store is at the most advanced end of the vending spectrum with sensorless payment systems based on computer vision, deep learning and multi-sensor fusion technology. It can accurately identify shopping behavior and commodity information as well as automatically complete payment after customers pass through the exit gate. This replaces mechanical and repetitive manual check-outs with Al algorithms that enable customers to avoid waiting in line. Other market developments include toys and blind box vending, in which consumers cannot see the product they are buying, but these are highly dependent on individual market tastes and it is not possible to draw global patterns or trends for predicted usage.

Further innovations include shipping container-sized Al smart unmanned stores that can be deployed in various scenarios with flexible deployment methods. These movable Al-enabled intelligent unmanned stores can be flexibly implemented in various scenarios. They are suitable for different types of retailing and can be combined with different shelves and containers or spliced with other containers to create larger stores.

4 https://www.businesswire.com/news/home/20210202005552/en/9.33-Billion-Growth-in-Global-Intelligent-Vending-Machine-Market-During-2020-2024-Featuring-Key-Vendors-Including-Azkoyen-SA-Compass-Group-USA-Inc.-and-Crane-Co-Technavio





How Al is impacting the POS market

Al-enabled P0S systems provide maximum flexibility while also providing precise monitoring for inventory tracking and order management. Al P0S systems can also be easily integrated to assist with reporting and connect to accounting systems. These systems are able to handle the complex scheduling tasks that were previously time-consuming and overwhelming and precluded smaller organizations from utilizing mP0S. Al-enabled P0S systems are easy and fast to use so employees can be more productive. This is important in the restaurant industry where servers can be freed up and increase their overall productivity. These P0S systems rely on advanced technologies instead of human labor so they also eliminate human error and provide a consistent experience every time.

Self-ordering P0S options like kiosks, vending machines and online ordering that use Al have been proven to shorten queues, reduce wait times and increase sales. Al-enabled P0S systems can also provide unique insights on the changing habits and behavior of customers and even recommend which customers to re-engage with. For example, knowing a customer buys a beverage at a specific time most days means a vending machine operator can push an offer to them.

Connectivity adds detail to retail

Most vending machines and POS today run on 4G/LTE, Wi-Fi or wired ethernet connections. Some still run on 3G technology which is being discontinued in many regions, forcing operators to upgrade.

POS is being revolutionised by the adoption of mPOS, which typically relies on 4G/LTE with some 3G deployments due to be replaced. The convenience of no wires and being able to take payments outdoors makes the case for LTE as the connectivity of choice for this market because the bandwidth is sufficient and the technology is secure enough to support charging and payment activities.

Vending machines have traditionally relied on a vending machine controller (VMC) to manage systems including payment, refrigeration, lighting control and product handling. Machines have been low-footprint, low-power devices in the past and lacked sufficient power to support new services. However, vending platforms are changing, creating more powerful machines that can support new services and interfaces. The connectivity provided by LTE, Wi-Fi or wired methods has been sufficient but this is poised to change with the capacity that 5G brings.

5G connectivity is set to stimulate innovation in vending machine platforms. LTE was the first wireless connectivity that truly ushered in the era of mobile broadband to the vending industry. It enabled fast communications for vending machines but the autonomous stores of the future will use cloud-based software, Al and machine learning. The low latency capabilities of 5G and greater intelligence in smart vending machines will come together to enable richer, more in-depth experiences as we change how we shop and retailers refine how we are marketed to.



How Quectel helps: Modules

Quectel offers a comprehensive range of modules that are ideal for a wide variety of applications and can be integrated within mPOS devices and vending machines. These include, but are not limited to:



The Quectel **SC20** series of multi-mode LTE Cat 4 smart modules. These have a compact form factor of 40.5mm × 40.5mm × 2.8mm and offer five variants with built-in Android 0S and five variants with built-in Yocto Linux 0S. The SC20 is suited to both industrial and consumer applications requiring high data rates and high-speed internet access. The modules deliver data rates of up to 150Mbps downlink and 50Mbps uplink on LTE networks, and support wireless communication via IEEE 802.11a/b/g/n and Bluetooth 4.2 Low Energy. The SC20 is also backward-compatible with Edge and GSM/GPRS networks, ensuring connection even in remote areas without 3G or 4G coverage.



The **SC200R** shares its form factor with the SC20 and is a high-performance module that supports various multimedia functions, making it ideal for both industrial and consumer applications that require high data rates. The SC200R consists of five variants to meet various geographical demands and also offers GNSS and MIMO technology.

Multiple-input multiple-output (MIM0) technology allows the SC20 and SC200R to greatly minimize errors and optimize data speeds. Both series combine high-speed wireless connectivity with embedded multi-constellation and a high-sensitivity GNSS receiver for positioning. A wide range of supported interfaces allow the SC20 to serve IoT applications including portable navigation devices, POS, routers, data cards, automotive, smartphones, digital signage, security and industrial PDAs.

A wide range of supported interfaces (including LCM, camera, touch panel, MIC, SPK, UART, USB, I2C, SPI and more) allow the SC20 and SC200R to serve a wide range of IoT applications including edge computing, cloud servers, AI robots, smart POS, home gateways, wearables, PDAs and tablets, vending machines, delivery lockers, law enforcement equipment and incar entertainment systems.







The Quectel **EG91** is a series of LTE Cat 1 loT modules in an LGA package measuring 29.0mm \times 25.0mm \times 2.3mm, which meets the 3GPP Release 11 standard. The EG91 is pin-to-pin compatible with Quectel's UMTS/HSPA+ UG95 and UG96 modules, and LPWA BG95 and BG96 modules, enabling simple, flexible and scalable migration from 2G and 3G to 4G. The series consists of eight variants to meet various geographical demands.

The EG91 provides cost-effective LTE connectivity, delivering maximum downlink rates of 10Mbps and uplink rates of 5Mbps under LTE, is designed using space-efficient surface mounted technology, and features an embedded power management unit for ultra-low deep-sleep current consumption. The module is therefore ideal for size-constrained, low-power IoT applications which are not reliant on high-speed connectivity but do require the longevity and reliability of LTE networks.



The Quectel **EC21** is a series of LTE Cat 1 loT modules in an LCC form factor measuring 32.0mm x 29.0mm x 2.4mm, which meets the 3GPP Release 12 standard. The EC21 is compatible with Quectel's UMTS/HSPA+ UC200T modules and multi-mode LTE Standard EC25, EC20 R2.1, EG25-G and EG21-G modules. It is therefore backward-compatible with existing EDGE and GSM/GPRS networks, enabling easy migration between LTE and 2G or 3G. The series consists of ten variants to meet various geographical demands.

The EC21 also provides cost-effective, low-power LTE connectivity, delivering maximum downlink rates of 10Mbps and uplink rates of 5Mbps under LTE, and multiple-input multiple-output (MIM0) technology meets demands for data rate and link reliability. This makes the series ideal for IoT applications which are not reliant on high-speed connectivity but do require the longevity and reliability of LTE networks.



The Quectel **EG915** is an LTE Cat 1 module especially optimized for M2M and IoT applications. It delivers maximum data rates of up to 10 Mbps downlink and 5 Mbps uplink. Designed in a compact and unified form factor, EG915 is compatible with Quectel multi-mode EG91 series, EG95 series, BG95 series and BG96 modules, ensuring that it can easily migrate between 2G and 4G network to meet the needs of different industry applications.

A rich set of Internet protocols, industry-standard interfaces and abundant functionalities (USB drivers for Windows 7/8/8.1/10/11, Linux and Android) extend the suitability of the module to a wide range of M2M and IoT applications such as POS/PoC/ETC, shared equipment, data cards, energy control and monitoring, security and protection, and industrial PDA.





How Quectel helps: Antennas

In addition to modules, POS devices also need antennas in order to ensure optimized connections. Typically, antennas rely on cellular, GNSS, Wi-Fi or Bluetooth connections to ensure uninterrupted coverage. For POS devices, antennas are usually embedded into the charger with nothing external that can be broken off.


In the 5G market, Quectel offers the **YF0020AA** flexible printed circuit (FPC) antenna. Operating at 600-6000MHZ frequency bands, this antenna measures $90.15 \times 15.2 \times 0.13$ mm and offers an IPEX IV connector. Alternatives include the Quectel **YP0009CA** and **YC0018AA** surface mount design (SMD) antenna.

In the Wi-Fi market, Quectel has a comprehensive portfolio of SMD and FPC antennas. The **YF0026AA** Wi-Fi 6E/BT FPC antenna operates in the 2400-2500MHz and 5150-5850MHz frequency bands, has dimensions of 28.9mm x 11mm and offers an IPEX MHF 1 connector. This peel and stick antenna has a cable length of 100mm. Quectel also offers the **YXU00A0AA** SMD FR4 antenna alongside additional FPC options, the **YF0027AA** and **YF0023AA** both of which feature cable plus connectors.

For GNSS, which has applications for POS and vending devices that move locations often and require ubiquitous coverage, Quectel offers a complete range of FPC and ceramic chip SMD antennas. The YFGA001AA GNSS L1/L2/L5 and L6 FPC antenna works in the 1160-1270MHZ and 1560-1605MHz frequency bands and has dimensions of 74.56mm x 24.5mm x 0.13mm. This is a high-efficiency multi-band L1/L2/L5/L6 FPC antenna. Ground plane independent, it is designed for flexible mounting on the underside of any non-metallic housing with a cable and connector for easy installation. The Quectel range also includes the YAT001AA ceramic patch antenna, the YFGA004AA FPC antenna and the YCGS010AA ceramic chip SMD antenna.

For all antennas, Quectel provides comprehensive antenna design support that includes simulation, testing and manufacturing for custom antenna solutions to meet customers' specific application needs.

Find out more here.







How Quectel helps: Connectivity

Quectel Connectivity Solutions complement our portfolio of products and services by enabling customers to activate and manage the connectivity of their modules. The consolidation of IoT modules and connectivity into a single point of provision greatly simplifies product rollout, helping solution providers of any size to undertake mass deployments more efficiently across multiple regions.

Connectivity as a Service









Global Connectivity

- Global coverage of over 500 Network Operators
- Access to 2G, 3G, 4G, LTE-M and NB-IoT networks
- Support for network functionality e.g. PSM and eDRX

Commercial flexibility

- Tailored commercials to meet your requirements
- Automated tariff optimization, removing bill shock
- Pay as you Go, Pooling, Pre-paid commercial models

Connectivity management

- Full automation of management tasks and rules
- Near real-time data to drive real-time decisions
- Functionality to support 3rd party deployments

Customer experience

- Dedicated first and second line support
- Self service portal
- End to end support: Design, Build, Connect, Manage





Conclusion

The pandemic has proved to be a stimulus for greater adoption of mP0S and vending as people want to eliminate contact with cash and minimise in-person interactions. However, even before the pandemic moves were well underway to utilize LTE connectivity to enable wireless, cost-effective mobile point-of-sale devices. Barriers to increased adoption are continuing to lower as mP0S devices become cheaper and service fees are more acceptable to even microbusinesses. This adoption curve will continue as we progress down the path to a cashless society and secure cellular connectivity is a fundamental foundation for mP0S payments.

In the vending market, great innovation is seeing a new generation of vending machines perform far more complex tasks and enable more effective marketing stock-keeping and operations. However, this is only the start. A new wave of unmanned shops, blind box vending, where consumers can't see the product they are buying, and multi-ingredient offerings are already coming to market. The systems these demand to ensure stock is not pilfered, shelves are stacked, quality is maintained and goods are paid for will rely on Al, machine learning, cameras, sensors and tracking. The connectivity that interlinks all of these will play an essential role in making this complicated architecture work.

In both markets, LTE is the current best suited connectivity. It is secure, provides enough bandwidth and costs sufficiently little to make it appealing for a wide range of long term use cases in these high growth markets.

To learn more about how Quectel's comprehensive range of modules, antennas and global IoT connectivity can power your business into new opportunities in mPOS and vending, visit www.quectel.com

